

# **SOX10**

## **References**

### **Sort**

Agarwal, P., Verzi, M. P., Nguyen, T., Hu, J., Ehlers, M. L., Mcculley, D. J., Xu, S. M., Dodou, E., Anderson, J. P., Wei, M. L., et al. (2011). The MADS box transcription factor MEF2C regulates melanocyte development and is a direct transcriptional target and partner of SOX10. *Development*, 138, 2555-65. [\[PubMed\]](#)

Betancur, P., Sauka-Spengler, T. and Bronner, M. (2011). A Sox10 enhancer element common to the otic placode and neural crest is activated by tissue-specific paralogs. *Development*, 138, 3689-98. [\[PubMed\]](#)

Bosserhoff, A. K., Ellmann, L. and Kuphal, S. (2011). Melanoblasts in culture as an in vitro system to determine molecular changes in melanoma. *Experimental dermatology*, 20, 435-40. [\[PubMed\]](#)

Corpening, J. C., Deal, K. K., Cantrell, V. A., Skelton, S. B., Buehler, D. P. and Southard-Smith, E. M. (2011). Isolation and live imaging of enteric progenitors based on Sox10-Histone2BVenus transgene expression. *Genesis*, 49, 599-618. [\[PubMed\]](#)

Gunnarsson, U., Kerje, S., Bed'hom, B., Sahlqvist, A. S., Ekwall, O., Tixier-Boichard, M., Kampe, O. and Andersson, L. (2011). The Dark brown plumage color in chickens is caused by an 8.3-kb deletion upstream of SOX10. *Pigment cell & melanoma research*, 24, 268-74. [\[PubMed\]](#)

Motohashi, T., Yamanaka, K., Chiba, K., Miyajima, K., Aoki, H., Hirobe, T. and Kunisada, T. (2011). Neural crest cells retain their capability for multipotential differentiation even after lineage-restricted stages. *Developmental dynamics : an official publication of the American Association of Anatomists*, 240, 1681-93. [\[PubMed\]](#)

Prasad, M. K., Reed, X., Gorkin, D. U., Cronin, J. C., Mcadow, A. R., Chain, K., Hodonsky, C. J., Jones, E. A., Svaren, J., Antonellis, A., et al. (2011). SOX10 directly modulates ERBB3 transcription via an intronic neural crest enhancer. *BMC developmental biology*, 11, 40. [\[PubMed\]](#)

Yokota, Y., Saito, D., Tadokoro, R. and Takahashi, Y. (2011). Genomically integrated transgenes are stably and conditionally expressed in neural crest cell-specific lineages. *Developmental biology*, 353, 382-95. [\[PubMed\]](#)

Agnarsdottir, M., Sooman, L., Bolander, A., Stromberg, S., Rexhepaj, E., Bergqvist, M., Ponten, F., Gallagher, W., Lennartsson, J., Ekman, S., et al. (2010). SOX10 expression in superficial spreading and nodular malignant melanomas. *Melanoma Res*, 20, 468-78. [\[PubMed\]](#)

Betancur, P., Bronner-Fraser, M. and Sauka-Spengler, T. (2010). Genomic code for Sox10 activation reveals a key regulatory enhancer for cranial neural crest. *Proc Natl Acad Sci U S A*. Feb 5. [\[PubMed\]](#)

Betters, E., Liu, Y., Kjaeldgaard, A., Sundstrom, E. and Garcia-Castro, M. (2010). Analysis of early human neural crest development. *Dev Biol*. [\[PubMed\]](#)

Chen, H., Jiang, L., Xie, Z., Mei, L., He, C., Hu, Z., Xia, K. and Feng, Y. (2010). Novel mutations of PAX3, MITF, and SOX10 genes in Chinese patients with Type I or Type II Waardenburg syndrome. *Biochem Biophys Res Commun*. [\[PubMed\]](#)

Cossais, F., Sock, E., Hornig, J., Schreiner, S., Kellerer, S., Bosl, M. R., Russell, S. and Wegner, M. (2010). Replacement of mouse Sox10 by the Drosophila ortholog Sox100B provides evidence for co-option of SoxE proteins into vertebrate-specific gene-regulatory networks through altered expression. *Dev Biol.* Feb 6. [\[PubMed\]](#)

Cossais, F., Wahlbuhl, M., Kriesch, J. and Wegner, M. (2010). SOX10 structure-function analysis in the chicken neural tube reveals important insights into its role in human neurocristopathies. *Hum Mol Genet*, 19, 2409-20. [\[PubMed\]](#)

Curchoe, C. L., Maurer, J., McKeown, S. J., Cattarossi, G., Cimadamore, F., Nilbratt, M., Snyder, E. Y., Bronner-Fraser, M. and Terskikh, A. V. (2010). Early acquisition of neural crest competence during hESCs neuralization. *PLoS One*, 5, e13890. [\[PubMed\]](#)

Finzsch, M., Schreiner, S., Kichko, T., Reeh, P., Tamm, E. R., Bosl, M. R., Meijer, D. and Wegner, M. (2010). Sox10 is required for Schwann cell identity and progression beyond the immature Schwann cell stage. *The Journal of Cell Biology*, 189, 701-12. [\[PubMed\]](#)

Kawaguchi, J., Nichols, J., Gierl, M. S., Faial, T. and Smith, A. (2010). Isolation and propagation of enteric neural crest progenitor cells from mouse embryonic stem cells and embryos. *Development*, 137, 693-704. [\[PubMed\]](#)

Li, Y., Zhu, X., Yang, L., Li, J., Lian, Z., Li, N. and Deng, X. (2010). Expression and network analysis of genes related to melanocyte development in the Silky Fowl and White Leghorn embryos. *Mol Biol Rep.* [\[PubMed\]](#)

Mascarenhas, J. B., Littlejohn, E. L., Wolsky, R. J., Young, K. P., Nelson, M., Salgia, R. and Lang, D. (2010). PAX3 and SOX10 activate MET receptor expression in melanoma. *Pigment Cell Melanoma Res.* [\[PubMed\]](#)

Olesnicki, E., Hernandez-Lagunas, L. and Artinger, K. B. (2010). prdm1a Regulates sox10 and islet1 in the development of neural crest and Rohon-Beard sensory neurons. *Genesis*, 48, 656-66. [\[PubMed\]](#)

Polanco, J. C., Wilhelm, D., Davidson, T. L., Knight, D. and Koopman, P. (2010). Sox10 gain-of-function causes XX sex reversal in mice: implications for human 22q-linked disorders of sex development. *Hum Mol Genet*, 19, 506-16. [\[PubMed\]](#)

Ramos-Herberth, F. I., Karamchandani, J., Kim, J. and Dadras, S. S. (2010). SOX10 immunostaining distinguishes desmoplastic melanoma from excision scar. *J Cutan Pathol*, 37, 944-52. [\[PubMed\]](#)

Sanchez-Mejias, A., Watanabe, Y., R, M. F., Lopez-Alonso, M., Antinolo, G., Bondurand, N. and Borrego, S. (2010). Involvement of SOX10 in the pathogenesis of Hirschsprung disease: report of a truncating mutation in an isolated patient. *J Mol Med.* Feb 4. [\[PubMed\]](#)

Shah, M., Bhoumik, A., Goel, V., Dewing, A., Breitwieser, W., Kluger, H., Krajewski, S., Krajewska, M., Dehart, J., Lau, E., et al. (2010). A role for ATF2 in regulating MITF and melanoma development. *PLoS genetics*, 6, e1001258. [\[PubMed\]](#)

Shibata, S., Yasuda, A., Renault-Mihara, F., Suyama, S., Katoh, H., Inoue, T., Inoue, Y. U., Nagoshi, N., Sato, M., Nakamura, M., et al. (2010). Sox10-Venus mice: a new tool for real-time labeling of neural crest lineage cells and oligodendrocytes. *Mol Brain*, 3, 31. [\[PubMed\]](#)

Bakos, R. M., Maier, T., Besch, R., Mestel, D. S., Ruzicka, T., Sturm, R. A. and Berking, C. (2009). Nestin and SOX9 and SOX10 transcription factors are coexpressed in melanoma. *Exp Dermatol.* [\[PubMed\]](#)

Blochin, E. and Nonaka, D. (2009). Diagnostic value of Sox10 immunohistochemical staining for the detection of metastatic melanoma in sentinel lymph nodes. *Histopathology*, 55, 626-8. [\[PubMed\]](#)

Breuskin, I., Bodson, M., Thelen, N., Thiry, M., Borgs, L., Nguyen, L., Lefebvre, P. P. and Malgrange, B. (2009). Sox10 promotes the survival of cochlear progenitors during the establishment of the organ of Corti. *Dev Biol*, 335, 327-39. [\[PubMed\]](#)

Cronin, J. C., Wunderlich, J., Loftus, S. K., Prickett, T. D., Wei, X., Ridd, K., Vemula, S., Burrell, A. S., Agrawal, N. S., Lin, J. C., et al. (2009). Frequent mutations in the MITF pathway in melanoma. *Pigment Cell Melanoma Res*, 22, 435-44. [\[PubMed\]](#)

Drerup, C. M., Wiora, H. M., Topczewski, J. and Morris, J. A. (2009). Disc1 regulates foxd3 and sox10 expression, affecting neural crest migration and differentiation. *Development*, 136, 2623-32. [\[PubMed\]](#)

Dutton, K., Abbas, L., Spencer, J., Brannon, C., Mowbray, C., Nikaido, M., Kelsh, R. N. & Whitfield, T. T. (2009). A zebrafish model for Waardenburg syndrome type IV reveals diverse roles for Sox10 in the otic vesicle. *Dis Model Mech*, 2, 68-83. [\[PubMed\]](#)

Flammiger, A., Besch, R., Cook, A. L., Maier, T., Sturm, R. A. & Berking, C. (2009). SOX9 and SOX10 but not BRN2 are required for nestin expression in human melanoma cells. *J Invest Dermatol*, 129, 945-53. [\[PubMed\]](#)

Mou, Z., Tapper, A. R. & Gardner, P. D. (2009). The armadillo-repeat-containing protein, ARMCX3, physically and functionally interacts with the developmental regulatory factor Sox10. *J Biol Chem*. [\[PubMed\]](#)

Stine, Z. E., Huynh, J. L., Loftus, S. K., Gorkin, D. U., Salmasi, A. H., Novak, T., Purves, T., Miller, R. A., Antonellis, A., Gearhart, J. P., et al. (2009). Oligodendroglial and pan-neural crest expression of Cre recombinase directed by Sox10 enhancer. *Genesis*, 47, 765-70. [\[PubMed\]](#)

Zhu, S., Wurdak, H., Wang, Y., Galkin, A., Tao, H., Li, J., Lyssiotis, C. A., Yan, F., Tu, B. P., Miraglia, L., et al. (2009a). A genomic screen identifies TYRO3 as a MITF regulator in melanoma. *Proc Natl Acad Sci U S A*, 106, 17025-30. [\[PubMed\]](#)

Zhu, Y. T., Jia, Y., Hu, L., Qi, C., Prasad, M. K., Mccallion, A. S. and Zhu, Y. J. (2009b). Peroxisome-proliferator-activated receptor-binding protein (PBP) is essential for the growth of active Notch4-immortalized mammary epithelial cells by activating SOX10 expression. *Biochem J*, 425, 435-44. [\[PubMed\]](#)

Antonellis, A., Huynh, J. L., Lee-Lin, S. Q., Vinton, R. M., Renaud, G., Loftus, S. K., Elliot, G., Wolfsberg, T. G., Green, E. D., Mccallion, A. S., et al. (2008). Identification of neural crest and glial enhancers at the mouse Sox10 locus through transgenesis in zebrafish. *PLoS Genet*, 4, e1000174. [\[PubMed\]](#)

Buac, K., Watkins-Chow, D. E., Loftus, S. K., Larson, D. M., Incao, A., Gibney, G. & Pavan, W. J. (2008). A Sox10 expression screen identifies an amino acid essential for Erbb3 function. *PLoS Genet*, 4, e1000177. [\[PubMed\]](#)

Dutton, J. R., Antonellis, A., Carney, T. J., Rodrigues, F. S., Pavan, W. J., Ward, A. & Kelsh, R. N. (2008). An evolutionarily conserved intronic region controls the spatiotemporal expression of the transcription factor Sox10. *BMC Dev Biol*, 8, 105. [\[PubMed\]](#)

Lee, K. E., Nam, S., Cho, E. A., Seong, I., Limb, J. K., Lee, S. & Kim, J. (2008). Identification of direct regulatory targets of the transcription factor Sox10 based on function and conservation. *BMC Genomics*, 9, 408. [\[PubMed\]](#)

- Nonaka, D., Chiriboga, L. & Rubin, B. P. (2008). Sox10: a pan-schwannian and melanocytic marker. *Am J Surg Pathol*, 32, 1291-8. [\[PubMed\]](#)
- Stolt, C. C., Lommes, P., Hillgärtner, S. & Wegner, M. (2008). The transcription factor Sox5 modulates Sox10 function during melanocyte development. *Nucleic Acids Res*, 36, 5427-40. [\[PubMed\]](#)
- Bondurand, N., Dastot-Le Moal, F., Stanchina, L., Collot, N., Baral, V., Marlin, S., Attie-Bitach, T., Giurgea, I., Skopinski, L., Reardon, W., et al. (2007). Deletions at the SOX10 gene locus cause Waardenburg syndrome types 2 and 4. *Am J Hum Genet*, 81, 1169-85. [\[PubMed\]](#)
- Ferletta, M., Uhrbom, L., Olofsson, T., Ponten, F. & Westermark, B. (2007). Sox10 has a broad expression pattern in gliomas and enhances platelet-derived growth factor-B--induced gliomagenesis. *Mol Cancer Res*, 5, 891-7. [\[PubMed\]](#)
- Inoue, K., Ohyama, T., Sakuragi, Y., Yamamoto, R., Inoue, N. A., Yu, L. H., Goto, Y., Wegner, M. & Lupski, J. R. (2007). Translation of SOX10 3' untranslated region causes a complex severe neurocristopathy by generation of a deleterious functional domain. *Hum Mol Genet*, 16, 3037-46. [\[PubMed\]](#)
- Murisier, F., Guichard, S. & Beermann, F. (2007). The tyrosinase enhancer is activated by Sox10 and Mitf in mouse melanocytes. *Pigment Cell Res*, 20, 173-84. [\[PubMed\]](#)
- Passeron, T., Valencia, J. C., Bertolotto, C., Hoashi, T., Le Pape, E., Takahashi, K., Ballotti, R. & Hearing, V. J. (2007). SOX9 is a key player in ultraviolet B-induced melanocyte differentiation and pigmentation. *Proc Natl Acad Sci U S A*, 104, 13984-9. [\[PubMed\]](#)
- Schreiner, S., Cossais, F., Fischer, K., Scholz, S., Bosl, M. R., Holtmann, B., Sendtner, M. & Wegner, M. (2007). Hypomorphic Sox10 alleles reveal novel protein functions and unravel developmental differences in glial lineages. *Development*, 134, 3271-81. [\[PubMed\]](#)
- Werner, T., Hammer, A., Wahlbuhl, M., Bä¶sl, M. R. & Wegner, M. (2007). Multiple conserved regulatory elements with overlapping functions determine Sox10 expression in mouse embryogenesis. *Nucleic Acids Res*, 35, 6526-38. [\[PubMed\]](#)
- Antonellis, A., Bennett, W. R., Menheniott, T. R., Prasad, A. B., Lee-Lin, S. Q., Program, N. C. S., Green, E. D., Paisley, D., Kelsh, R. N., Pavan, W. J., et al. (2006). Deletion of long-range sequences at Sox10 compromises developmental expression in a mouse model of Waardenburg-Shah (WS4) syndrome. *Hum Mol Genet*, 15, 259-71. [\[PubMed\]](#)
- Carney, T. J., Dutton, K. A., Greenhill, E., Delfino-Machin, M., Dufourcq, P., Blader, P. & Kelsh, R. N. (2006). A direct role for Sox10 in specification of neural crest-derived sensory neurons. *Development*, 133, 4619-30. [\[PubMed\]](#)
- Davis, I. J., Kim, J. J., Ozsolak, F., Widlund, H. R., Rozenblatt-Rosen, O., Granter, S. R., Du, J., Fletcher, J. A., Denny, C. T., Lessnick, S. L., et al. (2006). Oncogenic MITF dysregulation in clear cell sarcoma: defining the MiT family of human cancers. *Cancer Cell*, 9, 473-84. [\[PubMed\]](#)
- Deal, K. K., Cantrell, V. A., Chandler, R. L., Saunders, T. L., Mortlock, D. P. & Southard-Smith, E. M. (2006). Distant regulatory elements in a Sox10-beta GEO BAC transgene are required for expression of Sox10 in the enteric nervous system and other neural crest-derived tissues. *Dev Dyn*, 235, 1413-32. [\[PubMed\]](#)
- Girard, M. & Goossens, M. (2006). Sumoylation of the SOX10 transcription factor regulates its transcriptional activity. *FEBS Lett*, 580, 1635-41. [\[PubMed\]](#)
- Hakami, R. M., Hou, L., Baxter, L. L., Loftus, S. K., Southard-Smith, E. M., Incao, A., Cheng, J. & Pavan,

W. J. (2006). Genetic evidence does not support direct regulation of EDNRB by SOX10 in migratory neural crest and the melanocyte lineage. *Mech Dev*, 123, 124-34. [\[PubMed\]](#)

Hoek, K. S., Schlegel, N. C., Brafford, P., Sucker, A., Ugurel, S., Kumar, R., Weber, B. L., Nathanson, K. L., Phillips, D. J., Herlyn, M., et al. (2006). Metastatic potential of melanomas defined by specific gene expression profiles with no BRAF signature. *Pigment Cell Res*, 19, 290-302. [\[PubMed\]](#)

Hou, L., Arnheiter, H. & Pavan, W. J. (2006). Interspecies difference in the regulation of melanocyte development by SOX10 and MITF. *Proc Natl Acad Sci U S A*, 103, 9081-5. [\[PubMed\]](#)

Kellerer, S., Schreiner, S., Stolt, C. C., Scholz, S., Bosl, M. R. & Wegner, M. (2006). Replacement of the Sox10 transcription factor by Sox8 reveals incomplete functional equivalence. *Development*, 133, 2875-86. [\[PubMed\]](#)

Murisier, F., Guichard, S. & Beermann, F. (2006). A conserved transcriptional enhancer that specifies Tyro1 expression to melanocytes. *Dev Biol*, 298, 644-55. [\[PubMed\]](#)

Stanchina, L., Baral, V., Robert, F., Pingault, V., Lemort, N., Pachnis, V., Goossens, M. & Bondurand, N. (2006). Interactions between Sox10, Edn3 and Ednrb during enteric nervous system and melanocyte development. *Dev Biol*, 295, 232-49. [\[PubMed\]](#)

Wissmuller, S., Kosian, T., Wolf, M., Finzsch, M. & Wegner, M. (2006). The high-mobility-group domain of Sox proteins interacts with DNA-binding domains of many transcription factors. *Nucleic Acids Res*, 34, 1735-44. [\[PubMed\]](#)

Yokoyama, S., Takeda, K. & Shibahara, S. (2006). SOX10, in combination with Sp1, regulates the endothelin receptor type B gene in human melanocyte lineage cells. *FEBS J*, 273, 1805-20. [\[PubMed\]](#)

Cheung, M., Chaboissier, M. C., Mynett, A., Hirst, E., Schedl, A. & Briscoe, J. (2005). The transcriptional control of trunk neural crest induction, survival, and delamination. *Dev Cell*, 8, 179-92. [\[PubMed\]](#)

Chick, W. S., Mentzer, S. E., Carpenter, D. A., Rinchik, E. M., Johnson, D. & You, Y. (2005). X-ray-induced deletion complexes in embryonic stem cells on mouse chromosome 15. *Mamm Genome*, 16, 661-71. [\[PubMed\]](#)

Cook, A. L., Smith, A. G., Smit, D. J., Leonard, J. H. & Sturm, R. A. (2005). Co-expression of SOX9 and SOX10 during melanocytic differentiation in vitro. *Exp Cell Res*, 308, 222-35. [\[PubMed\]](#)

Elworthy, S., Pinto, J. P., Pettifer, A., Cancela, M. L. & Kelsh, R. N. (2005). Phox2b function in the enteric nervous system is conserved in zebrafish and is sox10-dependent. *Mech Dev*, 122, 659-69. [\[PubMed\]](#)

Kessaris, N., Fogarty, M., Iannarelli, P., Grist, M., Wegner, M. and Richardson, W.D. (2005). Competing waves of oligodendrocytes in the forebrain and postnatal elimination of an embryonic lineage. *Nature neuroscience*, 9, 173-9. [\[PubMed\]](#)

Matsuoka, T., Ahlberg, P. E., Kessaris, N., Iannarelli, P., Dennehy, U., Richardson, W. D., McMahon, A. P. and Koentges, G. (2005). Neural crest origins of the neck and shoulder. *Nature*, 436, 347-55. [\[PubMed\]](#)

McKeown, S. J., Lee, V. M., Bronner-Fraser, M., Newgreen, D. F. & Farlie, P. G. (2005). Sox10 overexpression induces neural crest-like cells from all dorsoventral levels of the neural tube but inhibits differentiation. *Dev Dyn*, 233, 430-44. [\[PubMed\]](#)

Taylor, K. M. & Labonne, C. (2005). SoxE factors function equivalently during neural crest and inner ear development and their activity is regulated by SUMOylation. *Dev Cell*, 9, 593-603. [\[PubMed\]](#)

- Wegner, M. (2005). Secrets to a healthy Sox life: lessons for melanocytes. *Pigment Cell Res*, 18, 74-85. [\[PubMed\]](#)
- Yan, Y. L., Willoughby, J., Liu, D., Crump, J. G., Wilson, C., Miller, C. T., Singer, A., Kimmel, C., Westerfield, M. and Postlethwait, J. H. (2005). A pair of Sox: distinct and overlapping functions of zebrafish sox9 co-orthologs in craniofacial and pectoral fin development. *Development*, 132, 1069-83. [\[PubMed\]](#)
- Commo, S., Gaillard, O., Thibaut, S. & Bernard, B. A. (2004). Absence of TRP-2 in melanogenic melanocytes of human hair. *Pigment Cell Res*, 17, 488-97. [\[PubMed\]](#)
- Inoue, K., Khajavi, M., Ohyama, T., Hirabayashi, S., Wilson, J., Reggin, J. D., Mancias, P., Butler, I. J., Wilkinson, M. F., Wegner, M., et al. (2004). Molecular mechanism for distinct neurological phenotypes conveyed by allelic truncating mutations. *Nat Genet*, 36, 361-9. [\[PubMed\]](#)
- Jiao, Z., Mollaaghbababa, R., Pavan, W. J., Antonellis, A., Green, E. D. & Hornyak, T. J. (2004). Direct interaction of Sox10 with the promoter of murine Dopachrome Tautomerase (Dct) and synergistic activation of Dct expression with Mitf. *Pigment Cell Res*, 17, 352-62. [\[PubMed\]](#)
- Ludwig, A., Rehberg, S. & Wegner, M. (2004a). Melanocyte-specific expression of dopachrome tautomerase is dependent on synergistic gene activation by the Sox10 and Mitf transcription factors. *FEBS Lett*, 556, 236-44. [\[PubMed\]](#)
- Ludwig, A., Schlierf, B., Schardt, A., Nave, K. A. & Wegner, M. (2004b). Sox10-rtTA mouse line for tetracycline-inducible expression of transgenes in neural crest cells and oligodendrocytes. *Genesis*, 40, 171-5. [\[PubMed\]](#)
- Aoki, Y., Saint-Germain, N., Gyda, M., Magner-Fink, E., Lee, Y. H., Credidio, C. & Saint-Jeannet, J. P. (2003). Sox10 regulates the development of neural crest-derived melanocytes in Xenopus. *Dev Biol*, 259, 19-33. [\[PubMed\]](#)
- Cheung, M. & Briscoe, J. (2003). Neural crest development is regulated by the transcription factor Sox9. *Development*, 130, 5681-93. [\[PubMed\]](#)
- Elworthy, S., Lister, J. A., Carney, T. J., Raible, D. W. & Kelsh, R. N. (2003). Transcriptional regulation of mitfa accounts for the sox10 requirement in zebrafish melanophore development. *Development*, 130, 2809-18. [\[PubMed\]](#)
- Honore, S. M., Aybar, M. J. & Mayor, R. (2003). Sox10 is required for the early development of the prospective neural crest in Xenopus embryos. *Dev Biol*, 260, 79-96. [\[PubMed\]](#)
- Huber, W. E., Price, E. R., Widlund, H. R., Du, J., Davis, I. J., Wegner, M. & Fisher, D. E. (2003). A tissue-restricted cAMP transcriptional response: SOX10 modulates alpha-melanocyte-stimulating hormone-triggered expression of microphthalmia-associated transcription factor in melanocytes. *J Biol Chem*, 278, 45224-30. [\[PubMed\]](#)
- Kim, J., Lo, L., Dormand, E. & Anderson, D. J. (2003). SOX10 maintains multipotency and inhibits neuronal differentiation of neural crest stem cells. *Neuron*, 38, 17-31. [\[PubMed\]](#)
- Lang, D. & Epstein, J. A. (2003). Sox10 and Pax3 physically interact to mediate activation of a conserved c-RET enhancer. *Hum Mol Genet*, 12, 937-45. [\[PubMed\]](#)
- Inoue, K., Shilo, K., Boerkoel, C. F., Crowe, C., Sawady, J., Lupski, J. R. & Agamanolis, D. P. (2002). Congenital hypomyelinating neuropathy, central dysmyelination, and Waardenburg-Hirschsprung

disease: phenotypes linked by SOX10 mutation. Ann Neurol, 52, 836-42. [\[PubMed\]](#)

Khong, H. T. & Rosenberg, S. A. (2002). The Waardenburg syndrome type 4 gene, SOX10, is a novel tumor-associated antigen identified in a patient with a dramatic response to immunotherapy. Cancer Res, 62, 3020-3. [\[PubMed\]](#)

Schlierf, B., Ludwig, A., Klenovsek, K. & Wegner, M. (2002). Cooperative binding of Sox10 to DNA: requirements and consequences. Nucleic Acids Res, 30, 5509-16. [\[PubMed\]](#)

Bondurand, N., Girard, M., Pingault, V., Lemort, N., Dubourg, O. & Goossens, M. (2001). Human Connexin 32, a gap junction protein altered in the X-linked form of Charcot-Marie-Tooth disease, is directly regulated by the transcription factor SOX10. Hum Mol Genet, 10, 2783-95. [\[PubMed\]](#)

Britsch, S., Goerich, D. E., Riethmacher, D., Peirano, R. I., Rossner, M., Nave, K. A., Birchmeier, C. & Wegner, M. (2001). The transcription factor Sox10 is a key regulator of peripheral glial development. Genes Dev, 15, 66-78. [\[PubMed\]](#)

Dutton, K. A., Pauliny, A., Lopes, S. S., Elworthy, S., Carney, T. J., Rauch, J., Geisler, R., Haffter, P. & Kelsh, R. N. (2001). Zebrafish colourless encodes sox10 and specifies non-ectomesenchymal neural crest fates. Development, 128, 4113-25. [\[PubMed\]](#)

Potterf, S. B., Mollaaghbab, R., Hou, L., Southard-Smith, E. M., Hornyak, T. J., Arnheiter, H. & Pavan, W. J. (2001). Analysis of SOX10 function in neural crest-derived melanocyte development: SOX10-dependent transcriptional control of dopachrome tautomerase. Dev Biol, 237, 245-57. [\[PubMed\]](#)

Bondurand, N., Pingault, V., Goerich, D. E., Lemort, N., Sock, E., Caignec, C. L., Wegner, M. & Goossens, M. (2000). Interaction among SOX10, PAX3 and MITF, three genes altered in Waardenburg syndrome. Hum Mol Genet, 9, 1907-17. [\[PubMed\]](#)

Bowles, J., Schepers, G. & Koopman, P. (2000). Phylogeny of the SOX family of developmental transcription factors based on sequence and structural indicators. Dev Biol, 227, 239-55. [\[PubMed\]](#)

Kelsh, R. N. & Eisen, J. S. (2000). The zebrafish colourless gene regulates development of non-ectomesenchymal neural crest derivatives. Development, 127, 515-25. [\[PubMed\]](#)

Lee, M., Goodall, J., Verastegui, C., Ballotti, R. & Goding, C. R. (2000). Direct regulation of the Microphthalmia promoter by Sox10 links Waardenburg-Shah syndrome (WS4)-associated hypopigmentation and deafness to WS2. J Biol Chem, 275, 37978-83. [\[PubMed\]](#)

Peirano, R. I. & Wegner, M. (2000). The glial transcription factor Sox10 binds to DNA both as monomer and dimer with different functional consequences. Nucleic Acids Res, 28, 3047-55. [\[PubMed\]](#)

Potterf, S. B., Furumura, M., Dunn, K. J., Arnheiter, H. & Pavan, W. J. (2000). Transcription factor hierarchy in Waardenburg syndrome: regulation of MITF expression by SOX10 and PAX3. Hum Genet, 107, 1-6. [\[PubMed\]](#)

Smit, D. J., Smith, A. G., Parsons, P. G., Muscat, G. E. & Sturm, R. A. (2000). Domains of Brn-2 that mediate homodimerization and interaction with general and melanocytic transcription factors. Eur J Biochem, 267, 6413-22. [\[PubMed\]](#)

Verastegui, C., Bille, K., Ortonne, J. P. & Ballotti, R. (2000). Regulation of the microphthalmia-associated transcription factor gene by the Waardenburg syndrome type 4 gene, SOX10. J Biol Chem, 275, 30757-60. [\[PubMed\]](#)

Watanabe, K., Takeda, K., Katori, Y., Ikeda, K., Oshima, T., Yasumoto, K., Saito, H., Takasaka, T. & Shibahara, S. (2000). Expression of the Sox10 gene during mouse inner ear development. *Brain Res Mol Brain Res*, 84, 141-5. [\[PubMed\]](#)

Bondurand, N., Kuhlbrodt, K., Pingault, V., Enderich, J., Sajus, M., Tommerup, N., Warburg, M., Hennekam, R. C., Read, A. P., Wegner, M., et al. (1999). A molecular analysis of the yemenite deaf-blind hypopigmentation syndrome: SOX10 dysfunction causes different neurocristopathies. *Hum Mol Genet*, 8, 1785-9. [\[PubMed\]](#)

Southard-Smith, E. M., Angrist, M., Ellison, J. S., Agarwala, R., Baxevanis, A. D., Chakravarti, A. & Pavan, W. J. (1999). The Sox10(Dom) mouse: modeling the genetic variation of Waardenburg-Shah (WS4) syndrome. *Genome Res*, 9, 215-25. [\[PubMed\]](#)

Bondurand, N., Kobetz, A., Pingault, V., Lemort, N., Encha-Razavi, F., Couly, G., Goerich, D. E., Wegner, M., Abitbol, M. & Goossens, M. (1998). Expression of the SOX10 gene during human development. *FEBS Lett*, 432, 168-72. [\[PubMed\]](#)

Herbarth, B., Pingault, V., Bondurand, N., Kuhlbrodt, K., Hermans-Borgmeyer, I., Puliti, A., Lemort, N., Goossens, M. & Wegner, M. (1998). Mutation of the Sry-related Sox10 gene in Dominant megacolon, a mouse model for human Hirschsprung disease. *Proc Natl Acad Sci U S A*, 95, 5161-5. [\[PubMed\]](#)

Kuhlbrodt, K., Herbarth, B., Sock, E., Hermans-Borgmeyer, I. & Wegner, M. (1998a). Sox10, a novel transcriptional modulator in glial cells. *J Neurosci*, 18, 237-50. [\[PubMed\]](#)

Kuhlbrodt, K., Schmidt, C., Sock, E., Pingault, V., Bondurand, N., Goossens, M. & Wegner, M. (1998b). Functional analysis of Sox10 mutations found in human Waardenburg-Hirschsprung patients. *J Biol Chem*, 273, 23033-8. [\[PubMed\]](#)

Pingault, V., Bondurand, N., Kuhlbrodt, K., Goerich, D. E., Prehu, M. O., Puliti, A., Herbarth, B., Hermans-Borgmeyer, I., Legius, E., Matthijs, G., et al. (1998). SOX10 mutations in patients with Waardenburg-Hirschsprung disease. *Nat Genet*, 18, 171-3. [\[PubMed\]](#)

Pusch, C., Hustert, E., Pfeifer, D., Sudbeck, P., Kist, R., Roe, B., Wang, Z., Balling, R., Blin, N. & Scherer, G. (1998). The SOX10/Sox10 gene from human and mouse: sequence, expression, and transactivation by the encoded HMG domain transcription factor. *Hum Genet*, 103, 115-23. [\[PubMed\]](#)

Southard-Smith, E. M., Kos, L. & Pavan, W. J. (1998). Sox10 mutation disrupts neural crest development in Dom Hirschsprung mouse model. *Nat Genet*, 18, 60-4. [\[PubMed\]](#)

Werner, M. H., Huth, J. R., Gronenborn, A. M. and Clore, G. M. (1995). Molecular basis of human 46X,Y sex reversal revealed from the three-dimensional solution structure of the human SRY-DNA complex. *Cell*, 81, 705-14. [\[PubMed\]](#)

Connor, F., Cary, P. D., Read, C. M., Preston, N. S., Driscoll, P. C., Denny, P., Crane-Robinson, C. and Ashworth, A. (1994). DNA binding and bending properties of the post-meiotically expressed Sry-related protein Sox-5. *Nucleic Acids Res*, 22, 3339-46. [\[PubMed\]](#)

Wright, E. M., Snopek, B. & Koopman, P. (1993). Seven new members of the Sox gene family expressed during mouse development. *Nucleic Acids Res*, 21, 744. [\[PubMed\]](#)

Lane, P. W. (1982). Dominant megacolon (Dom). *Mouse News Lett*, 66, 66.